

【CLAIMS】**【Claim 1】**

A portable combination umbrella and chair,
comprising:

5 a pole having on a first end thereof a threaded part;
 an umbrella part coupled to the threaded part of the
pole, and having a sliding member moving vertically along
the pole;

 a lock provided in a lower portion of the pole to
10 lock or unlock the sliding member to or from a
predetermined position of the pole, thus closing or opening
the umbrella part, with a push button provided in the lower
portion of the pole to be integrated with the lock, thus
actuating the lock;

15 a chair part having a handle and being rotatably
mounted to a second end of the pole via a hinge shaft; and

 locking means provided on the pole and the chair
part, thus keeping the chair part in a sitting position or
returning the chair part to an original position thereof.

20 **【Claim 2】**

The chair according to claim 1, further comprising:

 an expansion part provided at the second end of the
pole, and having a larger diameter than the pole to have a
diameter similar to the collapsed umbrella part, thus
25 preventing the umbrella part from being caught on clothes,
a bag, or the like.

【Claim 3】

The chair according to claim 1 or 2, wherein the locking means comprises:

5 a through hole formed at an end of the expansion part of the pole;

a first spring inserted into the expansion part through the through hole;

10 a locking rod inserted into the expansion part through the through hole, and configured so that a first end of the locking rod is in close contact with an end of the first spring and a second end of the locking rod protrudes out of the through hole by a predetermined length, with a wedge-shaped support step provided on the locking rod to prevent the locking rod from being removed
15 from the expansion part;

a rod support unit provided at a position around hinge holes of the chair part to which the hinge shaft is fastened, the rod support unit having a first rod hole to receive the locking rod, when the chair part is folded; and

20 a second rod hole formed on a central portion of the chair part to receive the locking rod, when the chair part is unfolded to seat a user thereon.

【Claim 4】

25 The chair according to any one of claims 1 to 3, further comprising:

a second spring installed in the pole to elastically support the push button and the lock; and

a third spring mounted to the sliding member to be extended when the umbrella part is closed, the third spring
5 serving to automatically open the umbrella part, when the push button is pushed.